Accurate Universal Laboratories Private Limited

D-171 to 174 & 263 to 266, Siddhi Industrial Park, Opp. Gujarat Udhyognagar, Bardolpura, Ahmedabad - 380004 Gujarat.
Phone No. : 9601754418, 9033044571 Email : info@accurateuniversal.com, info@accuratelaboratory.in
Website : www.accuratelaboratory.in

TC-5021

TEST REPORT

ULR- TC502126100010611F

Report Issued To	: **EIRTHUM PRIVATE LIMITED** 70 B 5 chakganja giri, , ward 13 sarakpur Bakshi Ka Talab Lucknow 226201 Uttar Pradesh India, LUCKNOW, Uttar Pradesh **Phone No :** 8604569095 **Email :** sales.zestnzing@gmail.com	**Test Report No** **Date of Receipt** **Date of Issue** **Customer's Ref. No**	: **AL/AHD/01110826004** : 05/08/2026 : 11/08/2026 : N.M

Description of Sample: KITCHEN KING MASALA
Sample Packing: Packed in bag
Sample Condition: Satisfactory
Customer Provided Sample Details: ORIGIN: INDIA
Lot No: N.M
Marking: N.M
Sample Quantity: 500 GM
Date of Starting of Test: 05/08/2026

Sample Drawn By: CUSTOMER
Mfg. Date: 02.08.2026
Exp. Date: 01.08.2027
B. No.: KK-ZZ-202608-B01
Date of Completion: 11/08/2026

Sr. No.	Quality Characteristics	Result	Test Method	Unit	Prescribed Standards as per Food Safety and Standards Regulations, 2011
Biological **Food and Agricultural Products**					
1	Aerobic Colony Count	15000	IS : 5402:(P-1):2021	Cfu/gm	Max 1 × 10^6
2	Yeast and Mould Count	<10	IS : 5403:1999	Cfu/gm	Max 1 × 10^4
3	Salmonella	Absent	IS : 5887 (Part 3/ Sec 1):2020	per 25g	Absent
4	Staphylococcus aureus	<10	IS : 5887 (Part 2):1976	Cfu/gm	Max 1 × 10^2
Chemical **Residues and Contaminants in Food & Agri. Products**					
5	Arsenic (as As)	0.08	AL/SOP/6.4/C-157	mg/kg	Max 5
6	Lead (as Pb)	0.35	AL/SOP/6.4/C-157	mg/kg	Max 10
Chemical **Food and Agricultural Products**					
7	Added Colouring matter	Absent	FSSAI Manual for Food Additives	-	Absent
8	Acid Insoluble Ash, (on dry basis)	1.06	IS : 1797	%	Max 2.0
9	Volatile oil (on dry weight basis)	1.05	IS : 1797	%	Min 0.1
10	Moisture	5.88	IS : 1797	%	Max 12

ACCURATE UNIVERSAL LABORATORIES PRIVATE LIMITED AHMEDABAD

Accurate Universal Laboratories Private Limited

D-171 to 174 & 263 to 266, Siddhi Industrial Park, Opp. Gujarat Udhyognagar, Bardolpura, Ahmedabad - 380004 Gujarat.
Phone No. : 9601754418, 9033044571 Email : info@accurateuniversal.com, info@accuratelaboratory.in
Website : www.accuratelaboratory.in

TC-5021

Report No: AL/AHD/01110826004
Report Date: 11/08/2026

TEST REPORT

Doc. No : AL/D/7.5/02

Remarks: The Sample CONFORMS to the prescribed standard of quality of FSS Regulation 2011 with respect to tested parameters.

Note: N.M.=Not Mentioned

Test Report

Scope

For, Accurate Universal Laboratories Pvt. Ltd.

Jigar Raval
Autho. Signatory

For, Accurate Universal Laboratories Pvt. Ltd.

Mrs. Zalak Amin
Autho. Signatory

---------- END OF REPORT ----------

ACCURATE UNIVERSAL LABORATORIES PRIVATE LIMITED * AHMEDABAD

Disclaimer Note

- Result refers only to the tested sample & applicable parameters; Endorsement of products is neither inferred nor implied
- This report is not to be reproduced wholly or in part and cannot be used as evidence in a court of law and should not be used in any advertising media without written approval of Accurate Universal Laboratories Pvt. Ltd.
- Samples will be disposed of after 21 days from the date of issue of the report, unless otherwise agreed with the Customer or regulatory body.
- Total liability at the laboratory is limited to the invoiced amount only.
- Test reports are issued on the basis of information or data provided by customers and can affect validity of results.
- Subject to Ahmedabad Jurisdiction Only.