# Accurate Universal Laboratories Private Limited

D-171 to 174 & 263 to 266, Siddhi Industrial Park, Opp. Gujarat Udhyognagar, Bardolpura, Ahmedabad - 380004 Gujarat.
Phone No. : 9601754418, 9033044571 Email : info@accurateuniversal.com, info@accuratelaboratory.in
Website : www.accuratelaboratory.in

TC-5021


## TEST REPORT



ULR- TC502126100010630F

| | | | |
|---|---|---|---|
| **Report Issued To** | : **EIRTHUM PRIVATE LIMITED**<br>70 B 5 chakganja giri, , ward 13 sarakpur Bakshi Ka Talab Lucknow 226201 Uttar Pradesh India, LUCKNOW, Uttar Pradesh<br>**Phone No :** 8604569095<br>**Email :** sales.zestnzing@gmail.com | **Test Report No**<br>**Date of Receipt**<br>**Date of Issue**<br>**Customer's Ref. No** | : **AL/AHD/01110826023**<br>: 05/08/2026<br>: 11/08/2026<br>: N.M |

**Description of Sample:** PANEER MASALA
**Sample Packing:** Packed in bag
**Sample Condition:** Satisfactory
**Customer Provided Sample Details:** ORIGIN: INDIA
**Lot No:** N.M
**Marking:** N.M
**Sample Quantity:** 500 GM
**Date of Starting of Test:** 05/08/2026

**Sample Drawn By:** CUSTOMER
**Mfg. Date:** 02.08.2026
**Exp. Date:** 01.08.2027
**B. No.:** PN-ZZ-202608-B01
**Date of Completion:** 11/08/2026

| Sr. No. | Quality Characteristics | Result | Test Method | Unit | Prescribed Standards as per Food Safety and Standards Regulations, 2011 |
|---|---|---|---|---|---|
| **Biological**<br>**Food and Agricultural Products** | | | | | |
| 1 | Aerobic Colony Count | 18000 | IS : 5402:(P-1):2021 | Cfu/gm | Max 1 × 10^6 |
| 2 | Yeast and Mould Count | 70 | IS : 5403:1999 | Cfu/gm | Max 1 × 10^4 |
| 3 | Salmonella | Absent | IS : 5887 ( Part 3/ Sec 1):2020 | per 25g | Absent |
| 4 | Staphylococcus aureus | <10 | IS : 5887 (Part 2):1976 | Cfu/gm | Max 1 × 10^2 |
| **Chemical**<br>**Residues and Contaminants in Food & Agri. Products** | | | | | |
| 5 | Arsenic (as As) | 0.15 | AL/SOP/6.4/C-157 | mg/kg | Max 5 |
| 6 | Lead (as Pb) | 0.67 | AL/SOP/6.4/C-157 | mg/kg | Max 10 |
| **Chemical**<br>**Food and Agricultural Products** | | | | | |
| 7 | Added Colouring matter | Absent | FSSAI Manual for Food Additives | - | Absent |
| 8 | Acid Insoluble Ash, (on dry basis) | 0.13 | IS : 1797 | % | Max 2.0 |
| 9 | Volatile oil (on dry weight basis) | 0.90 | IS : 1797 | % | Min 0.1 |
| 10 | Moisture | 5.49 | IS : 1797 | % | Max 12 |

ACCURATE UNIVERSAL LABORATORIES PRIVATE LIMITED AHMEDABAD

# Accurate Universal Laboratories Private Limited

D-171 to 174 & 263 to 266, Siddhi Industrial Park, Opp. Gujarat Udhyognagar, Bardolpura, Ahmedabad - 380004 Gujarat.
Phone No. : 9601754418, 9033044571 Email : info@accurateuniversal.com, info@accuratelaboratory.in
Website : www.accuratelaboratory.in


TC-5021

**Report No: AL/AHD/01110826023** **TEST REPORT** **Doc. No : AL/D/7.5/02**
**Report Date: 11/08/2026** 

Remarks: The Sample CONFORMS to the prescribed standard of quality of FSS Regulation 2011 with respect to tested parameters.

Note: N.M.=Not Mentioned

Test Report Scope

**For, Accurate Universal Laboratories Pvt. Ltd.**

**Jigar Raval**
**Autho. Signatory**

**For, Accurate Universal Laboratories Pvt. Ltd.**

**Mrs. Zalak Amin**
**Autho. Signatory**

---------- END OF REPORT ----------

ACCURATE UNIVERSAL LABORATORIES PRIVATE LIMITED * AHMEDABAD

**Disclaimer Note**

- Result refers only to the tested sample & applicable parameters; Endorsement of products is neither inferred nor implied
- This report is not to be reproduced wholly or in part and cannot be used as evidence in a court of law and should not be used in any advertising media without written approval of Accurate Universal Laboratories Pvt. Ltd.
- Samples will be disposed of after 21 days from the date of issue of the report, unless otherwise agreed with the Customer or regulatory body.
- Total liability at the laboratory is limited to the invoiced amount only.
- Test reports are issued on the basis of information or data provided by customers and can affect validity of results.
- Subject to Ahmedabad Jurisdiction Only.